## **Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) An intervertebral implant comprising:

a first member for engaging a first vertebral body, the first member comprising a first surface with a first curve, the first curve having a first radius of curvature;

a second member for engaging a second vertebral body, the second member comprising a second surface with a second curve, the second curve having a second radius of curvature smaller than the first radius of curvature; and

a center member adapted for placement at least partially the between the first member and the second member;

wherein the first member is translatable with respect to the second member and the <u>first</u> and second members are biased second curve is positioned within the first curve to bias the first and second curves towards <u>a</u> central alignment along a longitudinal axis passing through the first and second vertebral bodies.

- 2. (Currently Amended) The intervertebral implant of claim 1 wherein the first <u>radius of curvature is eurve has a first constant radius</u> and <u>has a first center point.</u>, and the second curve has a second constant radius and a second center point.
- 3. (Currently Amended) The intervertebral implant of claim 2 wherein the first constant second radius of curvature is larger than the second constant radius and has a second center point.
- 4. (Currently Amended) The intervertebral implant of claim <u>3</u> 2 wherein central alignment comprises alignment of the first and second center points along the longitudinal axis.
- 5. (Currently Amended) The intervertebral implant of claim <u>3</u> 2 wherein the first <u>surface</u> eurve has a first <u>interior area</u> <u>recess</u> defined by the <u>a</u> sweep of the first constant radius <u>of</u>

<u>curvature</u> and the second <u>surface</u> <u>curve</u> is <u>positioned</u> <u>within the interior area</u> <u>has a first protrusion</u> defined by a sweep of the second <u>constant</u> radius of curvature.

- 6. (Original) The intervertebral implant of claim 1 wherein the first curve has a variable radius.
- 7. (Currently Amended) The intervertebral implant of claim 1 wherein the first eurve surface has a combination of curved and flat portions.
- 8. (Currently Amended) The intervertebral implant of claim 1 further comprising a wherein the center member includes a first mating surface adapted to mate with the first surface of the first member, the first mating surface having a third radius of curvature substantially similar to the first radius of curvature of the first surface; and

a second mating surface adapted to mate with the second surface of the second member, the second mating surface having a fourth radius of curvature substantially similar to the second radius of curvature of the second surface. interposed between the first and second members.

- 9. (Currently Amended) The intervertebral implant of claim 1 8 wherein the center member articulates between the first and second surfaces as the first member is translated relative to the second member.
- 10. (Original) The intervertebral implant of claim 1 wherein the second surface has a semicylindrial protrusion extended along a lateral axis.
- 11. (Original) The intervertebral implant of claim 1 wherein the second surface has a semi-spherical protrusion.
- 12. (Original) The intervertebral implant of claim 1 wherein the first and second surfaces have depressions.

- 13. (Original) The intervertebral implant of claim 1 further comprising a restraint mechanism for restricting motion along a lateral axis.
- 14. (Original) The intervertebral implant of claim 1 wherein the first member is translatable with respect to the second member along an anterior-posterior axis.
- 15. (Original) The intervertebral implant of claim 1 further comprising a neutral position and a first position wherein in the first position, the implant is biased to move toward the neutral position.
- 16. (Original) The intervertebral implant of claim 15 wherein in the first position, the first curve is in closer conformance with the second curve.
- 17. (Original) The intervertebral implant of claim 1 wherein the first curve is wider than the second curve.
- 18. (Currently Amended) The intervertebral implant of claim 1 wherein the first <u>member</u> eurve is superior to the second member eurve along the longitudinal axis.
- 19. (Original) The intervertebral implant of claim 1 wherein the first surface is concave and the second surface is convex.
- 20. (Original) The intervertebral implant of claim 1 wherein the first and second surfaces are concave.
- 21. (Canceled)
- 22. (Currently Amended) A method for installing a vertebral implant device between two

vertebral bodies in a vertebral column, the method comprising:

engaging a center member with a first curved surface of a first member, the first curved surface having a first radius of curvature;

engaging the center member with a second curved surface of a second member, the second curved surface having a second radius of curvature smaller than the first radius of curvature;

positioning the second curved surface within an interior area of the first curved surface; engaging the first member with a first vertebral body; and engaging the second member with a second vertebral body;

wherein the first member is translatable with respect to the second member and further wherein the first and second curved surfaces are biased toward central alignment along a longitudinal axis passing through the first and second vertebral bodies.

## 23. (Canceled)

- 24. (New) The intervertebral implant of claim 1 wherein the first member includes a first engagement surface for engaging a first vertebral endplate of the first vertebral body.
- 25. (New) The intervertebral implant of claim 24 wherein the first engagement surface is shaped to substantially conform to a first shape of the first vertebral endplate.
- 26. (New) The intervertebral implant of claim 25 wherein the first engagement surface is substantially flat.
- 27. (New) The intervertebral implant of claim 25 wherein the first engagement surface is at least partially curved.
- 28. (New) The intervertebral implant of claim 25 wherein the first engagement surface is at least partially convex.

- 29. (New) The intervertebral implant of claim 25 wherein the second member includes a second engagement surface for engaging a second vertebral endplate of the second vertebral body.
- 30. (New) The intervertebral implant of claim 26 wherein the second engagement surface is shaped to substantially conform to a second shape of the second vertebral endplate.